

Eco-friendly

Columbia Cascade Company has been committed to producing eco-friendly playground equipment since its inception. All of our products and finishes are made from non-toxic materials. Our factory and offices are operated and maintained in an environmentally responsible manner.

Our Products



- All of our metal components are coated with CASPAX-7, a lead-free powder coating.
- The steel pipe used in our products contains 95-100% post-consumer recycled metal.
- We do not use lead-containing galvanized coatings on playground equipment parts that could come in contact with children's skin.

- Our plastic accessories and components contain no Polyvinyl Chloride (PVC).
- Our plastic accessories and components contain no Phthalates.
- TimberForm RePlay plastic timbers are made from 100% recycled post-consumer plastic products. This structural play system is the most environmentally friendly choice available when selecting new playground equipment.
- Our child-friendly wood preservative is not and never has been arsenic based.
- Our "playground equipment grade" Douglas fir timbers are obtained from sources that adhere to strict and ecologically sound sustained yield practices. For every tree that is felled for playground equipment use, at least three superior seedlings are planted.
- Many of our playground equipment products can help in achieving LEED® credits for your project.



Our Manufacturing Plant

- Our production facility employs strict environmental management practices.
- The dry finish CASPAX-7 powder-coating process emits no volatile solvents to the atmosphere and is ecologically sound.
- We do not allow factory emissions of any kind.
- Using energy efficient fluorescent lamps, factory lighting is motion controlled and task oriented.
- Factory storm water is diverted to on-site engineered bio-swales rather than to a stream or public sewer system.
- All production scrap (metal, wood and plastic) is recycled.
- Wooden shipping pallets are salvaged, repaired and reused.
- All new cardboard packaging is produced only from recycled paper products.

Our Design Headquarters and Offices

- Our headquarters location was selected for easy access to the expanded light-rail line in the geographical center of Portland, Oregon. We encourage our employees to commute to work via mass-transit or alternative transportation.
- The company provides on-site bicycle racks and monthly transit passes for employees. On-site showers and changing rooms are available to cyclists.
- To conserve energy and natural resources, we discontinued the industry practice of mass-mailings of paper catalogs over ten years ago. Although we still print a limited number of catalogs for hand distribution, we encourage the online downloading of PDF copies.
- All paper, plastic and metal waste is segregated and recycled. Obsolete computer equipment is delivered to authorized recyclers.

LEED is a registered trademark of the U.S. Green Building Council.




Other Columbia Cascade Products

Columbia Cascade also produces a complete line of site complements, bicycle parking solutions and outdoor fitness systems. To obtain a catalog contact your local Columbia Cascade representative or our headquarters at Portland, Oregon. All of our catalogs are available as downloadable PDF files at our web site www.timberform.com. Look for the category entitled Current Publications.

TimberForm Site Furnishings



CycLoops & CycLocker Bicycle Management



TimberForm & PipeLine Outdoor Fitness Systems



The Toughest Metal Play System

PipeLine®



27-A



27-B



27-C



27-D



27-E



27-F



27-G




27-H



28-A




28-B



28-C



28-D



28-E



29-A



29-B



29-C



29-D



29-E



Model No. 9804

Appropriate for Children 2 to 5 Years of Age.

Play Area, Equipment Only:

15' x 17' (4.6m x 5.2m)

Minimum Safe Use Zone:

27' x 29' (8.3m x 8.9m)

Accessibility Profile:

- 7 Total Play Components
- 5 Elevated Play Components
(5 Accessible)
- 2 Ground Level Play Components
(2 Accessible)

Colors Illustrated:

Posts: Black


Accessories: Black, Evergreen & Red

Decks: Perforated Steel, Evergreen

Plastic: Yellow



Safe use zone border



Play features beneath decks

Plan-view scale: 3/32" = 1' (1 = 133mm)

9804 Features:

- Accessible Entrance Deck
- Baluster Wall with Two Ship's Wheels
- Bubble Panel
- Grade Climber, Steel with Handrails
- Perforated Steel Roof
- Spelling Panel
- Tot Slide Chute, Curved
- Tube Chute, Curved
- Welcome/Rules Sign



Deck Heights:

8"205mm
16"405mm
24"610mm
32"815mm
40"1015mm

9804 Alternative Color Schemes:



A



B



C

**WARNING**

METAL PLAYING SURFACES CAN BECOME DANGEROUSLY HOT WHEN EXPOSED TO DIRECT SUNLIGHT. OWNERS/OPERATORS MUST WARN USERS THAT SERIOUS THERMAL BURNS MAY RESULT WHEN BARE SKIN COMES IN CONTACT WITH HOT METAL.

PipeLine®**Play Area, Equipment Only:**

13' x 10' (4.0m x 3.1m)

Appropriate for Children 2 to 5 Years of Age.

Model No. 9808**Minimum Safe Use Zone:**

25' x 22' (7.7m x 6.8m)


Accessibility Profile:

- 4 Total Play Components
- 3 Elevated Play Components
(3 Accessible)
- 1 Ground Level Play Components
(1 Accessible)

Colors Illustrated:**Posts:** Evergreen**Accessories:** Coffee Tan**Decks:** SofDek Plastic-coated
Perforated Steel, Brown**Plastic:** Tan**9808 Features:**

- Accessible Transfer Station,
8" (21cm) Riser
- Block Climber
- Convex/Flat Mirror Panel
- Roof
- Tot Slide Chute, Curved
- Welcome/Rules Sign


Plan-view scale: 3/32" = 1' (1 = 133mm)

**Deck Heights:**

8"	205mm
16"	405mm
24"	610mm
32"	815mm

**Three Examples of Starting Small and Planning for Future Playground Expansion**

We can produce a site specific expansion plan based on starting with any of our standard Play Areas.

**9808 + A****9808 + B****9808 + C**

Start with a modest Play Area and plan for future expansion. See page 51 for another example.



Model No. 9813

Appropriate for Children 2 to 5 Years of Age.

Play Area, Equipment Only:

17' x 12' (5.2m x 3.7m)

Minimum Safe Use Zone:

29' x 24' (8.9m x 7.4m)

Accessibility Profile:

- 6 Total Play Components
- 4 Elevated Play Components
(4 Accessible)
- 2 Ground Level Play Components
(2 Accessible)



Colors Illustrated:

Posts: Regal Blue

Accessories: Chrome Yellow

Decks: SofDek Plastic-coated
Perforated Steel, Brown


Plastic: Yellow

Deck Heights:

6"	150mm
12"	305mm
18"	455mm
24"	610mm
30"	760mm
36"	915mm

9813 Features:

- Accessible Entrance Deck
- Baluster Wall
- Baluster Wall with Ship's Wheel
- Coil Climber
- Convex/Flat Mirror Panel
- Stepping Pads (5)
- Tot Slide Chute, Curved
- Welcome/Rules Sign



9813 Alternative Color Schemes:



A



B



C

WARNING

METAL PLAYING SURFACES CAN BECOME DANGEROUSLY HOT WHEN EXPOSED TO DIRECT SUNLIGHT. OWNERS/OPERATORS MUST WARN USERS THAT SERIOUS THERMAL BURNS MAY RESULT WHEN BARE SKIN COMES IN CONTACT WITH HOT METAL.

PipeLine®

Play Area, Equipment Only:

17' x 20' (5.2m x 6.1m)

Minimum Safe Use Zone:

29' x 32' (8.9m x 9.8m)

Appropriate for Children 5 to 12 Years of Age.

Model No. 9817



Accessibility Profile:

- 11 Total Play Components
- 8 Elevated Play Components (8 Accessible)
- 3 Ground Level Play Components (3 Accessible)

9817 Features:

Accessible Transfer Station,
 8" (21cm) Riser
 Baluster Wall with Ship's Wheel
 Bubble Panel
 Coil Climber
 Firefighter's Pole
 Plastic Panel with Hole
 School Bus
 Spelling Panel
 Spiral Slide Chute
 Talk Tube
 Tic-Tac-Toe
 Welcome/Rules Sign
 Wide Chute
 Wood Roof

Colors Illustrated:

Posts: Burgundy


Accessories: Burgundy & Coffee Tan

Decks: Wood

Plastic: Tan

Deck Heights:

8" 205mm
 16" 405mm
 24" 610mm
 32" 815mm
 40" 1015mm
 48" 1220mm
 56" 1420mm



CASPAX-7™ Powder-Coating: All PipeLine “colored” metal is finished with CASPAX-7 lead-free powder coating. CASPAX-7 provides rich colors that are ultraviolet (UV) stabilized, durable and smooth— free from runs, drips or sags. The finishing process emits no volatile solvents to the atmosphere and is safe and ecologically sound.



Model No. 9821

Appropriate for Children 2 to 5 Years of Age.

Accessibility Profile:

- 5 Total Play Components
- 4 Elevated Play Components (4 Accessible)
- 1 Ground Level Play Components (1 Accessible)

URBAN★FIT™



Play Area, Equipment Only:

20' x 6' (6.1m x 1.9m)

Minimum Safe Use Zone:

32' x 18' (9.8m x 5.5m)

Colors Illustrated:

Posts: Regal Blue

Accessories: Red & Regal Blue

Decks: Perforated Steel, Red



9821 Features:

Accessible Transfer Station,
8" (21cm) Riser

Kid's Bench

Perforated Steel Roof

Stairs with Baluster Walls,
8" (21cm) Riser

Talk Tube

Vertical Ladder


Vertical Loop Climber

Welcome/Rules Sign

Wide Chute, Stainless Steel
with 6" (15cm) Rails

Deck Heights:

8"	205mm
16"	405mm
24"	610mm
32"	815mm
40"	1015mm
48"	1220mm



Play features
beneath decks

Plan-view scale: 3/32" = 1' (1 = 133mm)

9821 Alternative Color Schemes:



A



B



C



WARNING

METAL PLAYING SURFACES CAN BECOME DANGEROUSLY HOT WHEN EXPOSED TO DIRECT SUNLIGHT. OWNERS/OPERATORS MUST WARN USERS THAT SERIOUS THERMAL BURNS MAY RESULT WHEN BARE SKIN COMES IN CONTACT WITH HOT METAL.

PipeLine®

Play Area, Equipment Only:

16' x 16' (4.9m x 4.9m)

Appropriate for Children 2 to 5 Years of Age.

Model No. 9826

Minimum Safe Use Zone:

28' x 28' (8.6m x 8.6m)

Accessibility Profile:

- 8 Total Play Components
- 5 Elevated Play Components (5 Accessible)
- 3 Ground Level Play Components (3 Accessible)




9826 Features:

- Accessible Transfer Station, 8" (21cm) Riser
- Bubble Panel
- Climbing Ramp
- Decorative Wall
- Decorative Wall with Ship's Wheel (2)
- Kid's Bench
- Spelling Panel
- Talk Tube
- Welcome/Rules Sign
- Wide Chute

Deck Heights:

- 8" 205mm
- 16" 405mm
- 24" 610mm
- 32" 815mm
- 40" 1015mm
- 48" 1220mm



Colors Illustrated:

Posts: Brown

Accessories: Coffee Tan

Decks: SofDek Plastic-coated
Perforated Steel, Brown

Plastic: Tan

Examples of Twenty of Over 200 Available CASPAX-7™ Designer Powder-Coating Colors



Due to variations in the printing process the colors shown above are only a guide to the actual powder-coating colors.



Model No. 9830

Appropriate for Children 5 to 12 Years of Age.

Play Area, Equipment Only:


18' x 19' (5.5m x 5.8m)

Minimum Safe Use Zone:


30' x 31' (9.2m x 9.5m)

Accessibility Profile:

- 7 Total Play Components
- 5 Elevated Play Components (5 Accessible)
- 2 Ground Level Play Components (2 Accessible)



Play features beneath decks



Plan-view scale: 3/32" = 1' (1 = 133mm)

Deck Heights:

8"	205mm
16"	405mm
24"	610mm
32"	815mm
40"	1015mm
48"	1220mm
56"	1420mm

9830 Features:

- Accessible Transfer Station, 8" (21cm) Riser
- Baluster Wall
- Baluster Wall with Ship's Wheel
- Bubble Panel
- Slide Chute
- Spiral Slide Chute
- Storefront Countertop
- Talk Tube
- Vertical Loop Climber
- Welcome/Rules Sign

Colors Illustrated:

Posts: Coffee Tan

Accessories: Regal Blue

Decks: Wood

Plastic: Tan



PipeLine Thick-walled Schedule 40 Pipe PipeLine playground equipment uses thick-walled 4-1/2" (114mm) diameter (shown actual thickness at left in blue) Schedule 40 steel pipe posts rather than thin-walled tubing (shown actual thickness at left in red). Smoothly formed aluminum collars are bolted and pinned using stainless steel hardware. The PipeLine connection system provides an unobtrusive child-friendly yet rigid connection between posts, rails and accessories.



WARNING

METAL PLAYING SURFACES CAN BECOME DANGEROUSLY HOT WHEN EXPOSED TO DIRECT SUNLIGHT. OWNERS/OPERATORS MUST WARN USERS THAT SERIOUS THERMAL BURNS MAY RESULT WHEN BARE SKIN COMES IN CONTACT WITH HOT METAL.

PipeLine®

Play Area, Equipment Only:

20' x 15' (6.1m x 4.6m)

Minimum Safe Use Zone:

32' x 27' (9.8m x 8.3m)

Play Area, Spring Rider Only:

3' x 2' (1.0m x 0.7m)

Minimum Safe Use Zone:

15' x 14' (4.6m x 4.3m)

Appropriate for Children 2 to 5 Years of Age.


Model No. 9834

Accessibility Profile:

10 Total Play Components

7 Elevated Play Components
(7 Accessible)

3 Ground Level Play Components
(3 Accessible)



9834 Features:

- Accessible Entrance Deck
- Accessible Spring Rider
- Addition Panel
- Baluster Wall with Ship's Wheel
- Bubble Panel
- Coil Climber
- Kid's Bench
- Spelling Panel
- Tic-Tac-Toe
- Tot Slide Chute, Curved
- Welcome/Rules Sign
- Wide Chute with Center Rail, Stainless Steel with 6" (15cm) Rails

Colors Illustrated:

Posts: Coffee Tan

Accessories: Evergreen

Decks: SofDek Plastic-coated
Perforated Steel, Brown

Plastic: Tan

Deck Heights:

8" 205mm

16" 405mm

24" 610mm

32" 815mm

40" 1015mm



URBAN★FITSM

To better withstand the rigors of tough city life, most PipeLine Play Areas can be specified with all metal accessories rather than ubiquitous plastic seen on our competitors' offerings. When combined with tough Schedule 40 steel pipe and stainless steel chutes the result is a truly "Urban Fit" playground.



Model No. 9839

Appropriate for Children 2 to 5 Years of Age.

Play Area, Equipment Only:

25' x 19' (7.7m x 5.8m)

Minimum Safe Use Zone:

37' x 31' (11.3m x 9.5m)

Accessibility Profile:


15 Total Play Components

- 9 Elevated Play Components
(9 Accessible)
- 6 Ground Level Play Components
(6 Accessible)



9839 Features:

- Accessible Entrance Deck
- Accessible Transfer Station,
8" (21cm) Riser
- Baluster Wall
- Baluster Wall with Ship's Wheel
- Bubble Panel
- Coil Climber
- Convex/Flat Mirror Panel
- Kid's Bench
- Maze Panel
- Roof
- Spelling Panel
- Storefront Countertop
- Talk Tube
- Tic-Tac-Toe
- Tot Slide Chute, Curved
- Tunnel Crawl, Clear Plastic
- Vertical Loop Climber
- Welcome/Rules Sign
- Wide Slide Chute, Wave/Slalom



Colors Illustrated:

Posts: Coffee Tan

Accessories: Evergreen

Decks: SofDek Plastic-coated
Perforated Steel, Brown

Plastic: Tan

Deck Heights:

8"	205mm
16"	405mm
24"	610mm
32"	815mm
40"	1015mm
48"	1220mm





WARNING

METAL PLAYING SURFACES CAN BECOME DANGEROUSLY HOT WHEN EXPOSED TO DIRECT SUNLIGHT. OWNERS/OPERATORS MUST WARN USERS THAT SERIOUS THERMAL BURNS MAY RESULT WHEN BARE SKIN COMES IN CONTACT WITH HOT METAL.

PipeLine®

Play Area, Equipment Only:

24' x 14' (7.4m x 4.3m)

Minimum Safe Use Zone:


36' x 26' (11.0m x 8.0m)

Appropriate for Children 2 to 5 Years of Age.

Model No. 9843


Accessibility Profile:

- 12 Total Play Components
- 7 Elevated Play Components (7 Accessible)
- 5 Ground Level Play Components (5 Accessible)



9843 Features:

- Abacus
- Accessible Transfer Station, 8" (21cm) Riser
- Baluster Wall (2)
- Baluster Wall with Ship's Wheel
- Bubble Panel
- Coil Climber
- Convex/Flat Mirror Panel
- Kid's Bench
- Perforated Steel Roof
- Slide Chute
- Spelling Panel
- Spiral Slide Chute
- Storefront Countertop
- Talk Tube
- Welcome/Rules Sign



Plan-view scale: 3/32" = 1' (1 = 133mm)

Colors Illustrated:

Posts: Coffee Tan

Accessories: Coffee Tan & Red

Decks: SoftDek Plastic-coated
Perforated Steel, Brown

Plastic: Tan

Deck Heights:

- 8" 205mm
- 16" 405mm
- 24" 610mm
- 32" 815mm
- 40" 1015mm
- 48" 1220mm
- 56" 1420mm



CASPAX-7™ Standard Powder-Coating Colors



Regal Blue



Evergreen



Red



Brown



Black



Chrome Yellow



Ocean Teal



Burgundy



Coffee Tan



White

Due to variations in the printing process the colors shown above are only a guide to the actual powder-coating colors.



Model No. 9847

Appropriate for Children 5 to 12 Years of Age.

Play Area, Equipment Only:



43' x 20' (13.2m x 6.1m)

Accessibility Profile:

- 14 Total Play Components
- 10 Elevated Play Components
(6 Accessible)
- 4 Ground Level Play Components
(4 Accessible)

Minimum Safe Use Zone:


55' x 32' (16.8m x 9.8m)



Play features
beneath decks



Safe use zone border



9847 Features:

- Accessible Entrance Deck
- Baluster Wall (2)
- Baluster Wall with Ship's Wheel (2)
- Bubble Panel
- Convex/Flat Mirror Panel
- Loop Climber with Handrails
- Perforated Steel Roof (2)
- Slide Chute
- Spelling Panel
- Spiral Slide Chute
- Storefront Countertop
- Super Ring Beam, 12' (366cm)
- Talk Tube
- Tic-Tac-Toe
- Tot Slide Chute, Curved
- Welcome/Rules Sign

Colors Illustrated:

Posts: Burgundy

Accessories: Burgundy
& Ocean Teal

Decks: SofDek Plastic-coated
Perforated Steel, Brown

Plastic: Tan

Deck Heights:

8" 205mm	32" 815mm	60" 1525mm
12" 305mm	36" 915mm	72" 1830mm
16" 405mm	40" 1015mm	
24" 610mm	48" 1220mm	

Plan-view scale: 3/32" = 1' (1 = 133mm)



WARNING

METAL PLAYING SURFACES CAN BECOME DANGEROUSLY HOT WHEN EXPOSED TO DIRECT SUNLIGHT. OWNERS/OPERATORS MUST WARN USERS THAT SERIOUS THERMAL BURNS MAY RESULT WHEN BARE SKIN COMES IN CONTACT WITH HOT METAL.

PipeLine®

Play Area, Equipment Only:

22' x 21' (6.8m x 6.5m)

Minimum Safe Use Zone:

34' x 33' (10.4m x 10.1m)

Colors Illustrated:

Posts: Regal Blue

Accessories: Red

Decks: SofDek Plastic-coated
Perforated Steel, Brown

Plastic: Yellow

Appropriate for Children 5 to 12 Years of Age.

Model No. 9852

Accessibility Profile:

- 8 Total Play Components
- 6 Elevated Play Components
(6 Accessible)
- 2 Ground Level Play Components
(2 Accessible)





9852 Features:

- Accessible Transfer Station,
8" (21 cm) Riser
- Arch Ring Climber
- Decorative Wall with
Ship's Wheel (2)
- Kid's Bench
- Spiral Slide Chute
- Talk Tube
- Tube Chute, Curved
- Welcome/Rules Sign
- Wide Chute

Deck Heights:

8"	205mm
16"	405mm
24"	610mm
32"	815mm
40"	1015mm
48"	1220mm
56"	1420mm
64"	1625mm
72"	1830mm



Need CAD details or specifications? Contact us at HQ@timberform.com



Model No. 9856

Appropriate for Children 2 to 5 Years of Age.

Play Area, Equipment Only:

30' x 14' (9.2m x 4.3m)

Minimum Safe Use Zone:

42' x 26' (12.9m x 8.0m)

Play Area, Spring Rider Only:

3' x 2' (1.0m x 0.7m)

Minimum Safe Use Zone:

15' x 14' (4.6m x 4.3m)


Accessibility Profile:

- 12 Total Play Components
- 8 Elevated Play Components
(8 Accessible)
- 4 Ground Level Play Components
(4 Accessible)




9856 Features:

- Abacus
- Accessible Spring Rider
- Accessible Transfer Station,
8" (21cm) Riser
- Baluster Wall (2)
- Baluster Wall with Ship's Wheel
- Coil Climber
- Convex/Flat Mirror Panel
- Decorative Arch (3)
- Funnel Net Climber
- Spelling Panel
- Tic-Tac-Toe
- Tube Chute
- Vertical Cargo Net
- Welcome/Rules Sign
- Wide Chute



Play features
beneath decks




Colors Illustrated:

Posts: Evergreen

Accessories: Coffee Tan

Decks: SofDek Plastic-coated
Perforated Steel, Brown

Plastic: Tan



Plan-view scale: 3/32" = 1' (1 = 133mm)

Deck Heights:

8"	205mm
16"	405mm
24"	610mm
32"	815mm
40"	1015mm
48"	1220mm





WARNING

METAL PLAYING SURFACES CAN BECOME DANGEROUSLY HOT WHEN EXPOSED TO DIRECT SUNLIGHT. OWNERS/OPERATORS MUST WARN USERS THAT SERIOUS THERMAL BURNS MAY RESULT WHEN BARE SKIN COMES IN CONTACT WITH HOT METAL.

PipeLine®

Play Area, Equipment Only:

17' x 21' (5.2m x 6.5m)

Appropriate for Children 5 to 12 Years of Age.

Model No. 9860

Minimum Safe Use Zone:

29' x 33' (8.9m x 10.1m)

Accessibility Profile:

13 Total Play Components


9 Elevated Play Components
(9 Accessible)

4 Ground Level Play Components
(4 Accessible)



9860 Features:

Accessible Transfer Station,
8" (21cm) Riser
Baluster Wall
Baluster Wall with Ship's Wheel
Coil Climber
Convex/Flat Mirror Panel
Kid's Bench
Spelling Panel, Baluster Wall
Storefront Countertop
Talk Tube
Tic-Tac-Toe
Tot Slide Chute, Curved
Vertical Loop Climber
Vertical Safety Climber
Welcome/Rules Sign
Wide Slide Chute, Wave/Slalom
Wood Roof (2)



Plan-view scale: 3/32" = 1' (1 = 133mm)

Colors Illustrated:

Posts: Chrome Yellow

Accessories: Evergreen

Decks: Wood

Plastic: Yellow

Deck Heights:

8" 205mm
16" 405mm
24" 610mm
32" 815mm
40" 1015mm
48" 1220mm





Model No. 9865

Appropriate for Children 5 to 12 Years of Age.

Play Area, Equipment Only:

25' x 29' (7.7m x 8.9m)

Minimum Safe Use Zone:

37' x 41' (11.3m x 12.5m)

Accessibility Profile:

- 14 Total Play Components
- 9 Elevated Play Components
(9 Accessible)
- 5 Ground Level Play Components
(5 Accessible)





Colors Illustrated:

Posts: Coffee Tan

Accessories: Evergreen

Decks: SofDek Plastic-coated
Perforated Steel, Brown

Plastic: Tan



9865 Features:

- Accessible Transfer Station, 8" (21cm) Riser
- Arch Climber
- Baluster Wall (3)
- Baluster Wall with Ship's Wheel (2)
- Cargo Net Climber
- Coil Climber
- Convex/Flat Mirror Panel
- Kid's Bench
- Spelling Panel
- Spiral Slide Chute
- Talk Tube
- Tic-Tac-Toe
- Vertical Loop Climber
- Welcome/Rules Sign
- Wide Chute



Deck Heights:

8"	205mm
16"	405mm
24"	610mm
32"	815mm
40"	1015mm
48"	1220mm
56"	1420mm
64"	1625mm
72"	1830mm

Rotationally-molded Plastic Accessories PipeLine, TimberForm and RePlay plastic accessories are manufactured from hot-compounded medium density polyethylene (MDPE). Hot-compounding assures uniform coloration within each part and from part to part and maximum UV resistance. The final wall-thickness of our rotationally-molded plastic accessories (shown in yellow at left) is 50% thicker (both shown actual thickness) than the industry standard adding to strength, durability and long useful life. Our plastics are free of PVC and phthalates.



WARNING

METAL PLAYING SURFACES CAN BECOME DANGEROUSLY HOT WHEN EXPOSED TO DIRECT SUNLIGHT. OWNERS/OPERATORS MUST WARN USERS THAT SERIOUS THERMAL BURNS MAY RESULT WHEN BARE SKIN COMES IN CONTACT WITH HOT METAL.

PipeLine®

Play Area, Equipment Only:

28' x 20' (8.6m x 6.1m)

Minimum Safe Use Zone:

40' x 32' (12.2m x 9.8m)

Accessibility Profile:


11 Total Play Components

7 Elevated Play Components
(7 Accessible)

4 Ground Level Play Components
(4 Accessible)


Appropriate for Children 5 to 12 Years of Age.

Model No. 9869



9869 Features:

- Accessible Entrance Deck
- Accessible Ring Pull
- Accessible Transfer Station, 8" (21cm) Riser
- Addition Panel
- Bubble Panel
- Chinning Bar
- Decorative Wall (3)
- Decorative Wall with Ship's Wheel
- Overhead Safety Ladder
- Slide Chute, Curved
- Spelling Panel
- Spiral Slide Chute
- Talk Tube
- Tic-Tac-Toe
- Welcome/Rules Sign



Colors Illustrated:

Posts: Regal Blue

Accessories: Chrome Yellow

Decks: SofDek Plastic-coated
Perforated Steel, Brown

Plastic: Yellow

Deck Heights:

8" 205mm
 16" 405mm
 24" 610mm
 32" 815mm
 40" 1015mm
 48" 1220mm
 56" 1420mm
 64" 1625mm
 72" 1830mm



PipeLine Design Note: Keep in mind that PipeLine play systems are modular in design and that most accessories are interchangeable. We encourage choosing features from several Play Areas and melding them into a unique design.



Model No. 9873

Appropriate for Children 5 to 12 Years of Age.

Play Area, Equipment Only:


36' x 32' (11.0m x 9.8m)

Minimum Safe Use Zone:

48' x 44' (14.7m x 13.5m)

Accessibility Profile:

- 13 Total Play Components
- 8 Elevated Play Components (8 Accessible)
- 5 Ground Level Play Components (5 Accessible)



Colors Illustrated:

Posts: Regal Blue


Accessories: Red

Decks: SofDek Plastic-coated
Perforated Steel, Brown

Plastic: Yellow

9873 Features:

- Accessible Entrance Deck
- Baluster Wall (5)
- Cargo Net Climber
- CrossClimber Cargo Net
- Curved Overhead Climber
- Firefighter's Pole
- Funnel Net Climber
- Log Roll
- Loop Climber
- Slide Chute
- Slide Chute, Curved
- Spiral Spinner
- Stepping Pad (5)
- Track Ride, 12' (366cm)
- Twisting Climber
- Welcome/Rules Sign



Deck Heights:

8"	205mm
16"	405mm
24"	610mm
32"	815mm
40"	1015mm
48"	1220mm
56"	1420mm
64"	1625mm
72"	1830mm

Plan-view scale: 3/32" = 1' (1 = 133mm)





WARNING

METAL PLAYING SURFACES CAN BECOME DANGEROUSLY HOT WHEN EXPOSED TO DIRECT SUNLIGHT. OWNERS/OPERATORS MUST WARN USERS THAT SERIOUS THERMAL BURNS MAY RESULT WHEN BARE SKIN COMES IN CONTACT WITH HOT METAL.

PipeLine®

Play Area, Equipment Only:

30' x 21' (9.2m x 6.5m)

Minimum Safe Use Zone:

42' x 33' (12.9m x 10.1m)

Colors Illustrated:

Posts: Ocean Teal

Accessories: Ocean Teal

Decks: SofDek Plastic-coated
Perforated Steel, Brown


Plastic: Tan

Appropriate for Children 2 to 5 Years of Age.


Model No. 9878

Accessibility Profile:


- 14 Total Play Components
- 10 Elevated Play Components
(10 Accessible)
- 4 Ground Level Play Components
(4 Accessible)



Play features
beneath decks



Safe use zone border



Plan-view scale: 3/32" = 1' (1 = 133mm)

9878 Features:

- Abacus
- Accessible Transfer Station,
8" (21cm) Riser (2)
- Addition Panel
- Arch Climber
- Arch Ring Climber
- Baluster Wall
- Baluster Wall with Ship's Wheel
- Coil Climber
- Convex/Flat Mirror Panel
- CrossClimber Cargo Net
- Decorative Arch (2)
- Kid's Bench
- Spelling Panel
- Tube Chute, Curved
- Vertical Loop Climber
- Welcome/Rules Sign
- Wide Slide Chute, Wave/Slalom

Deck Heights:

- 8" 205mm
- 16" 405mm
- 24" 610mm
- 32" 815mm
- 40" 1015mm
- 48" 1220mm





Model No. 9882

Appropriate for Children 5 to 12 Years of Age.

Play Area, Equipment Only:

33' x 28' (10.1m x 8.6m)

Minimum Safe Use Zone:


45' x 40' (13.8m x 12.2m)

Accessibility Profile:


- 18 Total Play Components
- 13 Elevated Play Components
(13 Accessible)
- 5 Ground Level Play Components
(5 Accessible)

Colors Illustrated:

Posts: Coffee Tan
Accessories: Burgundy
Decks: Wood
Plastic: Yellow



Safe use zone border



Plan-view scale: 3/32" = 1" (1 = 133mm)

9882 Features (continued):

- Arch Ring Climber
- Baluster Wall (4)
- Baluster Wall with Ship's Wheel
- Bubble Panel
- Chinning Bar
- Clatter Bridge, Wood with Handrails
- Coil Climber
- Firefighter's Pole
- Kid's Bench
- Moving Bridgeway
- Overhead Safety Ladder
- Ring Beam 12' (366cm)
- Spiral Slide Chute
- Storefront Countertop
- Talk Tube
- Track Ride 12' (366cm)
- Vertical Loop Climber
- Welcome/Rules Sign
- Wood Roof
- Welcome/Rules Sign



Play features beneath decks

Deck Heights:

8"	205mm	48"	1220mm
16"	405mm	56"	1420mm
24"	610mm	64"	1625mm
32"	815mm	72"	1830mm
40"	1015mm		

9882 Features:

- Accessible Ring Pull
- Accessible Transfer Station,
8" (21cm) Riser
- Addition Panel





WARNING

METAL PLAYING SURFACES CAN BECOME DANGEROUSLY HOT WHEN EXPOSED TO DIRECT SUNLIGHT. OWNERS/OPERATORS MUST WARN USERS THAT SERIOUS THERMAL BURNS MAY RESULT WHEN BARE SKIN COMES IN CONTACT WITH HOT METAL.

PipeLine®

Play Area, Equipment Only:

35' x 22' (10.7m x 6.8m)

Appropriate for Children 5 to 12 Years of Age.

Model No. 9886

Minimum Safe Use Zone:

47' x 34' (14.4m x 10.4m)

Accessibility Profile:

13 Total Play Components

10 Elevated Play Components
(6 Accessible)

3 Ground Level Play Components
(3 Accessible)



Colors Illustrated:

Posts: Coffee Tan

Accessories: Regal Blue

Decks: SofDek Plastic-coated
Perforated Steel, Brown

Plastic: Tan



Deck Heights:

8"	205mm	40"	1015mm
16"	405mm	48"	1220mm
24"	610mm	60"	1525mm
32"	815mm	72"	1830mm
36"	915mm		

9886 Features:

- Accessible Transfer Station, 8" (21cm) Riser
- Arch Climber
- Baluster Wall (3)
- Baluster Wall with Ship's Wheel
- Bubble Panel
- Coil Climber
- Decorative Arch (4)
- Grade Climber, Steel with Handrails
- Kid's Bench
- Lookout Platform with Ship's Wheel
- Spiral Slide Chute
- Storefront Countertop
- Suspension Bridge, Perforated Steel with Handrails
- Talk Tube
- Tot Slide Chute, Curved
- Wave Chute
- Welcome/Rules Sign



Need CAD details or specifications? Contact us at HQ@timberform.com



Model No. 9891

Appropriate for Children 5 to 12 Years of Age.

Accessibility Profile:

- 20 Total Play Components
- 13 Elevated Play Components
(9 Accessible)
- 7 Ground Level Play Components
(7 Accessible)

Play Area, Equipment Only:

36' x 37' (11.0m x 11.3m)

Minimum Safe Use Zone:

48' x 49' (14.7m x 15.0m)




Colors Illustrated:

Posts: Coffee Tan

Accessories: Coffee Tan & Red

Decks: SofDek Plastic-coated
Perforated Steel, Brown

Plastic: Tan





WARNING

METAL PLAYING SURFACES CAN BECOME DANGEROUSLY HOT WHEN EXPOSED TO DIRECT SUNLIGHT. OWNERS/OPERATORS MUST WARN USERS THAT SERIOUS THERMAL BURNS MAY RESULT WHEN BARE SKIN COMES IN CONTACT WITH HOT METAL.

PipeLine®

Model No. 9891 in Three Phases

9891 Phase 1, 2 & 3:

Play Area, Equipment Only:

36' x 37' (11.0m x 11.3m)

Minimum Safe Use Zone:

48' x 49' (14.7m x 15.0m)

9891 Phase 1 & 2:

Play Area, Equipment Only:

18' x 37' (5.5m x 11.3m)

Minimum Safe Use Zone:

30' x 49' (9.2m x 15.0m)


9891 Phase 1:

Play Area, Equipment Only:

13' x 27' (4.0m x 8.3m)

Minimum Safe Use Zone:

25' x 39' (7.7m x 11.9m)



9891 Features, Phase 3:

- Accessible Ring Pull
- Addition Panel
- Baluster Wall (1 from Phase 2)
- Bubble Panel
- Chime Panel
- Curved Overhead Ladder
- Kid's Bench
- Loop Climber
- Perforated Steel Roof
- Spiral Slide Chute
- Storefront Countertop
- Suspension Bridge, Perforated Steel, with Baluster Walls

9891 Features, Phase 2:

- Baluster Wall (2 from Phase 1)
- Coil Climber
- Tic-Tac-Toe
- Wide Chute

9891 Features, Phase 1:

- Accessible Entrance Deck
- Accessible Transfer Station, 8" (21cm) Riser
- Baluster Wall (2)
- Baluster Wall with Ship's Wheel (2)
- Convex/Flat Mirror Panel
- Perforated Steel Roof
- Ring Beam, 12' (366cm)
- Spelling Panel
- Tot Slide Chute, Curved
- Welcome/Rules Sign



Knowledgeable consultants are available to assist the professional designer or recreator in creating custom phased Play Areas of any size. Contact us or your nearby representative for more information.



Model No. 9895


Appropriate for Children 5 to 12 Years of Age.

Play Area, Equipment Only:

37' x 33' (11.3m x 10.1m)


Minimum Safe Use Zone:

45' x 45' (13.8m x 13.8m)



Accessibility Profile:

- 13 Total Play Components
- 11 Elevated Play Components
(11 Accessible)
- 2 Ground Level Play Components
(2 Accessible)



Plan-view scale: 3/32" = 1' (1 = 133mm)

Colors Illustrated:

Posts: Chrome Yellow
Accessories: Evergreen
Decks: Wood
Plastic: Yellow

9895 Features:

- Accessible Deck Ramp with Handrails (2)
- Accessible Entrance Deck (2)
- Accessible Grade Ramp with Handrails
- Accessible Ring Pull
- Accessible Tube Chute, Curved
- Accessible Wide Chute
- Addition Panel
- Baluster Wall with Ship's Wheel (2)
- Bubble Panel
- Chime Wall
- Curved Overhead Ladder
- Grade Climber with Handrails
- Spelling Panel
- Tic-Tac-Toe
- Tot Slide Chute, Curved
- Welcome/Rules Sign

Deck Heights:

- 6" 150mm
- 12" 305mm
- 18" 455mm
- 24" 610mm
- 30" 760mm
- 36" 915mm
- 46" 1170mm

